


# BUILDING ACOUSTICS & LIGHTING LABORATORIES, INC.


1618 HEADLAND DR.  
 FENTON, MO 63026  
 (636) - 343-6006  
 (636) - 343-6051 FAX



BALLABS CERTIFIED TEST REPORT NO.: 14142.0 DATE 06/04/08  
 PREPARED FOR: SCIENTIFIC LIGHTING PRODUCTS, INC - FENTON, MO  
 DESCRIPTION: 6/54W T5HO C LAMP 51.5x14.5x6" ENCLOSED & GASKETED LUMINAIRE  
 WHITE REFLECTOR w/CLEAR ACRYLIC DROP LENS REFL=86%  
 UNIVERSAL BALLAST #B454IUNV-E & B254IUNV-E WATTS=329  
 CATALOG NBR: CT4-6LT5  
 LAMP TYPE : FP54T5HO/835/C RATED LUMENS 4900. NBR. LAMPS:- 6

## CANDLEPOWER DISTRIBUTION

VERT ANG	HORIZONTAL ANGLE					ZONAL LUMENS
	0	22.5	45	67.5	90	
0	6951.	6951.	6951.	6951.	6951.	
5	7074.	7074.	7098.	7123.	7129.	677.7
10	7110.	7129.	7178.	7215.	7240.	
15	7030.	7086.	7191.	7289.	7332.	2037.2
20	6679.	6772.	6975.	7129.	7178.	
25	6463.	6593.	6864.	7073.	7141.	3162.7
30	5890.	6075.	6420.	6654.	6735.	
35	5551.	5810.	6217.	6494.	6587.	3861.8
40	5052.	5391.	5841.	6211.	6371.	
45	4549.	5079.	5369.	5923.	6225.	4212.6
50	4029.	4504.	5163.	5934.	6162.	
55	3450.	4005.	4911.	5656.	5829.	4308.9
60	2816.	3395.	4430.	4991.	5126.	
65	2162.	2816.	3894.	4393.	4584.	3592.3
70	1546.	2286.	3216.	3943.	4159.	
75	955.	1688.	2612.	3136.	3272.	2525.6
80	468.	1133.	1897.	2372.	2489.	
85	203.	683.	1404.	1879.	2027.	1385.9
90	98.	536.	1158.	1417.	1491.	
95	89.	271.	455.	616.	671.	469.7
100	73.	141.	283.	431.	492.	
105	0.	129.	191.	289.	332.	205.0
110	0.	110.	166.	215.	227.	
115	0.	104.	141.	184.	191.	130.2
120	0.	110.	147.	166.	178.	
125	0.	80.	172.	166.	166.	112.4
130	0.	61.	160.	197.	197.	
135	0.	0.	140.	183.	188.	80.7
140	0.	0.	110.	160.	172.	
145	0.	0.	92.	129.	141.	45.8
150	0.	0.	73.	98.	110.	
155	0.	0.	61.	80.	80.	20.9
160	0.	0.	0.	0.	67.	
165	0.	0.	0.	0.	0.	.0
170	0.	0.	0.	0.	0.	.0
175	0.	0.	0.	0.	0.	.0
180	0.	0.	0.	0.	0.	.0



## LUMEN SUMMARY

ZONE	LUMENS	%LAMP	%FIXT	ZONE	LUMENS	%LAMP	%FIXT
0- 30	5878.	20.0	21.9	90-120	805.	2.7	3.0
0- 40	9739.	33.1	36.3	90-130	917.	3.1	3.4
0- 60	18261.	62.1	68.1	90-150	1044.	3.6	3.9
0- 90	25765.	87.6	96.0	90-180	1065.	3.6	4.0
TOTAL LUMINAIRE = 0-180					26829.	91.3	100.0

IES SPACING CRITERIA: END= 1.3 DIAGONAL = 1.4 CROSS= 1.5

SIGNIFICANCE OF THE TEST IS LIMITED TO THE DEGREE THAT THE TESTED SAMPLE IS REPRESENTATIVE. OTHER FACTORS AFFECT FIELD PERFORMANCE.

BALLABS CERTIFIED TEST REPORT NO.: 14142.0 DATE 06/04/08  
 PREPARED FOR: SCIENTIFIC LIGHTING PRODUCTS, INC - FENTON, MO  
 DESCRIPTION: 6/54W T5HO C LAMP 51.5x14.5x6"ENCLOSED & GASKETED LUMINAIRE  
 WHITE REFLECTOR w/CLEAR ACRYLIC DROP LENS REFL=86%  
 UNIVERSAL BALLAST #B454IUNV-E & B254IUNV-E WATTS=329

CATALOG NBR: CT4-6LT5  
 LAMP TYPE : FP54T5HO/835/C RATED LUMENS 4900. NBR. LAMPS:- 6  
 \*\*\*\*\*

VERT ANGLE	LUMINANCES-CD/SQ-M HORIZONTAL ANGLE		
	0	45	90
45	14443.	13947.	16171.
55	13504.	14591.	17319.
65	11485.	14009.	16492.
75	8284.	12385.	15515.
85	5229.	10216.	14749.

\*\*MAXIMUM BRIGHTNESSES NOT MEASURED\*\*

\*\*\*\*\*

ZONAL CAVITY COEFFICIENTS OF UTILIZATION

EFFECTIVE FLOOR CAVITY REFLECTANCE=.20

CEILING	.80		.70		.50		.30		.10		.00							
WALL	.70	.50	.30	.10	.70	.50	.30	.10	.50	.30	.10	.50	.30	.10	.50	.30	.10	.00
RCR																		
0	1.08	1.08	1.08	1.08	1.05	1.05	1.05	1.05	.99	.99	.99	.94	.94	.94	.90	.90	.90	.88
1	.97	.93	.88	.84	.95	.90	.86	.83	.86	.82	.79	.81	.79	.76	.77	.75	.73	.71
2	.88	.80	.73	.68	.85	.78	.72	.67	.74	.69	.65	.71	.66	.63	.67	.64	.61	.58
3	.80	.70	.62	.56	.78	.69	.61	.55	.65	.59	.54	.62	.57	.53	.59	.55	.51	.49
4	.73	.62	.54	.47	.71	.60	.53	.47	.58	.51	.46	.55	.49	.45	.53	.48	.44	.41
5	.67	.54	.46	.39	.64	.53	.45	.39	.51	.44	.38	.48	.42	.37	.46	.41	.37	.35
6	.61	.48	.40	.34	.59	.47	.39	.33	.45	.38	.33	.43	.37	.32	.41	.36	.32	.30
7	.56	.43	.35	.29	.54	.42	.34	.29	.40	.33	.28	.39	.33	.28	.37	.32	.27	.25
8	.52	.39	.31	.25	.50	.38	.30	.25	.36	.29	.24	.35	.29	.24	.33	.28	.24	.22
9	.47	.35	.27	.21	.46	.34	.26	.21	.33	.26	.21	.31	.25	.21	.30	.24	.20	.19
10	.44	.31	.24	.19	.43	.31	.24	.19	.30	.23	.18	.28	.22	.18	.27	.22	.18	.16

TESTED IN ACCORDANCE WITH CURRENT IES PROCEDURES